



Textile Digital Printer F Series



Textile Digital Printer **F618**
F818

Textile Digital Printer F Series

Model	F618	F818
Max Printing Width	1800mm or customized	
Number of Color	6-8 color	
Operating System	Windows10,64bit;CPU:Intel Core 11700 processor; HD:1T,2GB graphics;RAM:32GB	
RIP Software	Neo Stampa	
Standard Configuration	Movable press unit, Blanket cleaning/Drying unit, Head protection mechanism, Linear motor scanning system, Auto head cleaning system	
Installed Power	52KW (Digital Printer 24KW+Dryer 28KW)	
Overall Dimension(LxWxH)	4800 x 2680 x 2070	4800 x 3430 x 2070mm
Weight	4000kg	5300kg

Printing Passes and Capacity(Kyocera Print Head)			
Model		Printing Passes	Printing Capacity (m ² /h)
F618	48 heads Kyocera EX600	1	1400
		2	750
		3	525
F818	64 heads Kyocera EX600	1	1800
		2	1000
		3	700

Ink/Material

■ Ink


Print Media

	Pigment	Reactive	Acidic	Disperse
Nylon	●	○	●	○
Silk	○	●	●	
Cotton	●	●		
Polyester Fiber	●			●
Artificial Cotton	●	●		
Flax	●	●	●	
Wool	○	●	●	

Ink Colour

Reactive	C	M	Y	K	B	R	LM	LC	O	MB	GR		
Disperse	C	M	Y	K	B	R	LM	LC	O	LK			
Pigment	C	M	Y	K	B	R	LM	LC	O	LK	G		
Acidic	C	M	Y	K	B	R	LM	LC	O	LK	MB	FY	FM

■ Applicable Material



Dryer/Winder and Unwinder Unit

Dryer



Auto Constant Tension Unit



Main Technical Parameter

	1 Layer 3m Electric Dryer	3 Layer 2m Electric Dryer	3 Layer 3m Electric Dryer	3 Layer 4m Electric Dryer
Model	FHG-D1800-J 1	FHG-D1800-SD	FHG-D1801-SD-J1	JHY-D1800-SD-J2
Ink Type Supported	Reactive/Acidic/Disperse/Pigment			
Max Width	1800mm or customized			
Max Temperature	140°C	150°C	150°C	160°C
Heat Source	Electric	Electric	Electric/Steam	Electric/Steam
Power Supply	28KW	32KW	40.5KW	75KW
Drying Speed	600m/H	436m/H	600m/H	600m/H
Overall Dimension	3300 x 2100 x 1500mm	2570 x 2250 x 1750mm	3570 x 2250 x 1750mm	5700 x 2100 x 2800mm

